

## Mr. Clean Oil Ex Spray

Created on: 31. 10. 2007  
Reviewed on: 15. 07. 2011  
Version: 1.3

According to TRG 300, last revised in October 1996

### 1. MATERIAL / PREPARATION AND COMPANY DESCRIPTION

**Trade name** Mr. Clean Oil Ex Spray

**Manufacturer / Supplier** RAW Handel und Beratungs GmbH  
Grünstraße 5  
D-79232 March-Hugstetten  
Phone +49 (0) 7665 / 934 29 - 0  
Fax +49 (0) 7665 / 934 29 - 25

**Department providing information:** Product Information, Dipl.-Ing. M. Fischer, Phone: +49 (0) 163 / 50 737 60

### 2. Subject matter of the bulletin and definition of the product

This bulletin is a service of R.A.W. GmbH and serves exclusively for providing information to the commercial partners about the regulations to be adhered to when stockpiling or storing Mr. Clean Oil Ex Spray pressure gas packages. All information is based on our present level of knowledge and does not constitute an assurance of properties. No claim is made to exhaustiveness.

**Please observe that all requirements of the TRG 300 going beyond information given in this bulletin have to be adhered to by the dealer or user on their own responsibility.**

The company R.A.W. Handel und Beratungs GmbH recommends to all dealers and users of Mr. Clean Oil Ex Spray pressure gas packages to store them in such quantities making it possible to keep them in store rooms complying with TRG 300.

The following terms are defined in the TRG 300:

#### Storage rooms for pressure gas packages (according to TRG 300, Chapter 2.8)

Storage rooms are defined as rooms which, among other things, serve to store filled pressure gas packages, except for rooms according to Item 2.9 (store rooms). The rooms are divided by the size of their floor space into:

#### Storage room size (floor space in square metres)

|                       |   |
|-----------------------|---|
| Storage room size I   | up to 60 m <sup>2</sup>                                 |
| Storage room size II  | greater than 60 m <sup>2</sup> up to 500 m <sup>2</sup> |
| Storage room size III | greater than 500 m <sup>2</sup>                         |

#### Store rooms for pressure gas packages (according to TRG 300, Chapter 2.9)

Store rooms are defined as rooms in which the floor space used by the pressure gas packages is not greater than 20 square metres,

1. which, among other things, serve to store filled pressure gas packages,
2. in which filled pressure gas packages are held ready until they are taken to salesrooms,
3. in which the required stocks of filled pressure gas packages are stored, for example in industrial operations, hospitals, institutes.

can be kept in a **store room** - with a pallet base surface of approx. 1m<sup>2</sup> (1.2 m x 0.8 m) - **20 EU pallets** with Mr. Clean Oil Ex Spray pressure gas packages in cardboard boxes.

## Mr. Clean Oil Ex Spray

Created on: 31. 10. 2007  
Reviewed on: 15. 07. 2011  
Version: 1.3

According to TRG 300, last revised in October 1996

### 3. General Provisions

#### I. Filled pressure gas packages **MUST NOT**

(according to TRG 300, Chapter 6.1.1)

1. be exposed to heating more than 50 °C through solar radiation or other heat sources,
2. be stored or held ready in passageways, under staircases, building or floor corridors as well as on attics,
3. be sold for use when they are leaky or having other defects which have an impact on their function or safety.

#### II. Storage rooms, store rooms and salesrooms **MUST**

(according to TRG 300, Chapter 6.1.2)

1. comply with the requirements of building inspection laws, unless no further requirements are made in this TRG,
2. be sufficiently ventilated (naturally or artificially),
3. be located and arranged in such a way that, in emergency situations, it is possible to leave them quickly in a safe way (escape routes); ways must be kept free,
4. at every exit, be equipped with a fire extinguisher with a filling of at least 6 kg that is suitable for the fire classes A, B and C. Except from this are salesrooms in which it is necessary to have one such fire extinguisher at every sales stall for disposable containers. Fire extinguishers and devices must be ready for operation at any time.

#### III. Packaging units must be stacked in such a way that they cannot tip over.

(according to TRG 300, Chapter 6.1.3)

#### IV. As for storing pressure gas packages and combustible liquids together, reference is made to Item 6.11, Section 6 of TRbF 110.

(according to TRG 300, Chapter 6.1.4)

### 4. Demands on Store Rooms

#### I. The pressure gas packages provided must not require more than 20 square metres of floor space in total.

(according to TRG 300, Chapter 6.3.1)

#### II. Storing together with pyrotechnic articles is not permitted.

(according to TRG 300, Chapter 6.3.2)

### 5. Demands on Storage Rooms

All requirements of TRG 300, Chapter 6.2 have to be complied with.

### 6. Demands on Salesrooms

All requirements of TRG 300, Chapter 6.4 have to be complied with.

# Stockpiling and Storage Bulletin



## Mr. Clean Oil Ex Spray

Created on: 31. 10. 2007  
Reviewed on: 15. 07. 2011  
Version: 1.3

According to TRG 300, last revised in October 1996

---